



OELWEIN SPRING CITY WIDE GARAGE SALES

May 8th & 9th, 2026

Ad Deadline: Tuesday, April 28th

Drop it off, Mail it in or Email it!

Stop by our office at: 25 1st St. SE, Oelwein

Ads may be emailed to: classifieds@oelweindailyregister.com

All Ads Will Appear In the Following Publications:

- Oelwein Daily Register - May 2nd & 6th
- Bulletin Journal- May 2nd & 6th
- Shopper's Reminder - May 4th

Cost is \$15 for up to 15 words — 20¢ a word thereafter. All ads must be pre-paid. Visa, MasterCard & Discover accepted.

Public Notice

NOTICE OF PUBLIC HEARING — PROPOSED BUDGET Fiscal Year July 1, 2026 - June 30, 2027
FAYETTE COUNTY AG EXTENSION

The Extension Council of the above named County will conduct a PUBLIC HEARING on the proposed fiscal year 2026/2027 budget as follows:
Meeting Date: 4/21/2026 Meeting Time: 06:30 PM Meeting Location: Fayette County Extension and Outreach Office 218 South Main St. Fayette, IA 52142
At the public hearing, any resident or taxpayer may present their objections to, or arguments in favor of, any part of the proposed budget. This notice represents a summary of the supporting detail of receipts and expenditures on file with the Extension Council Secretary. Copies of the Supplemental Budget Detail (Schedule 674-A) will be furnished upon request.

Contact Name: Bridget Shultz Contact Telephone Number: (563) 425-3331

FUND	FYE June 30, 2025 Actual Expenditures	FYE June 30, 2026 Re-estimated Expenditures	FYE June 30, 2027 Budget Expenditures	Estimated Ending Fund Balance FY 2027	Estimated FY 2027 Beg. Balance	Estimated Amount To Be Raised By Taxation	Estimated Utility Tax Replacement and Property Tax Dollars	
1. County Agricultural Extension Education	601,320	557,839	543,982	448,700	446,232	287,168	291,000	
2. Unemployment Compensation	0	0	12,000	2,637	14,637	0	0	
3. Tort Liability	5,551	9,500	10,000	4,568	9,568	4,934	5,000	
4. TOTAL	606,871	567,339	565,982	455,905	470,437	292,102	296,000	
Proposed taxation rate per \$1,000 valuation: \$								0.21372

Virtual Meeting Information:
<https://fastate.zoom.us/j/93144579308>

Published in the Oelwein Daily Register on April 3, 2026.

020 NOTICE

Advertise
your business on your local newspaper's website. Call for information 319-334-2557 or 1-800-211-1075 (Independence); 319-283-2144 or 1-800-211-1076 (Oelwein). The sites include local news, local obituaries, dot photo (a place to order photos published in the newspaper). The sites average 4,000-9,000 clicks per month.



Seeking Opportunity

Searching for a new, great job? Look no further than our classifieds section. It will help you find a job in no time.

25 1st ST SE | Oelwein, Iowa 50662
319.283.2144
www.oelweindailyregister.com

AUCTION CALENDAR

ALLIS CHALMERS COLLECTOR AUCTION
ARLAND LEPPER COLLECTION & MUSEUM - LIVE & ONLINE
SATURDAY, MAY 30 • 9 AM
16474 280th St. Hubbard, IA
Arland & Carolyn Lepper Collection & Museum Owner, 515-291-1493
[#27899](http://www.auctionzip.com)
BID-N-BUY AUCTIONEERING
"For All Your Auction Needs since 1989"
Hazleton, Iowa
Gerry VandeVorde, 319-350-6710 Eric Larson

PUBLISHER'S NOTICE
To the best of our knowledge, the goods and services offered here are legitimate and trustworthy. However, many of the out-of-town advertisers are not known to us personally. The Newspaper recommends you thoroughly investigate firms you intend to do business with. In most cases the Better Business Bureau can be of assistance in these matters.



Today's BINGO Number is... G 52

Public Notice 2025 WATER QUALITY REPORT FOR OELWEIN MUNICIPAL WATER WORKS

This report contains important information regarding the water quality in our water system. The source of our water is groundwater. Our water quality testing shows the following results:

CONTAMINANT	MCL - (MCLG)	Compliance		Date	Violation Yes/No	Source
		Type	Value & (Range)			
Copper (ppm)	AL=1.3 (1.3)	90th	0.0881 (0.0336 - 0.127)	2025	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Lead (ppb)	AL=15 (0)	90th	4.17 (ND - 7)	2025	No	Corrosion of household plumbing systems; erosion of natural deposits
950 - DISTRIBUTION SYSTEM						
Chlorine (ppm)	MRDL=4.0 (MRDLG=4.0)	RAA	2.1 (1.42 - 3)	06/30/2025	No	Water additive used to control microbes
01 - #42 BOOSTER ROOM TAP, #1						
Gross Alpha, inc (pCi/L)	15 (0)	SGL	3.7	01/03/2023	No	Erosion of natural deposits
Combined Radium (pCi/L)	5 (0)	SGL	3.6	01/03/2023	No	Erosion of natural deposits
Sodium (ppm)	N/A (N/A)	SGL	23.3	01/26/2023	No	Erosion of natural deposits; Added to water during treatment process
02 - #59 FINISHED WATER TAP, #2						
Gross Alpha, inc (pCi/L)	15 (0)	SGL	4.9	07/14/2021	No	Erosion of natural deposits
Combined Radium (pCi/L)	5 (0)	SGL	3.5	07/10/2024	No	Erosion of natural deposits
Fluoride (ppm)	4 (4)	SGL	1.07	01/28/2021	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories
Barium (ppm)	2 (2)	SGL	0.0456	01/28/2021	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Sodium (ppm)	N/A (N/A)	SGL	21.7	03/14/2024	No	Erosion of natural deposits; Added to water during treatment process
03 - #80 FINISHED WATER TAP, #5						
Gross Alpha, inc (pCi/L)	15 (0)	SGL	5	07/14/2021	No	Erosion of natural deposits
Combined Radium (pCi/L)	5 (0)	SGL	2.9	04/22/2025	No	Erosion of natural deposits
Fluoride (ppm)	4 (4)	SGL	1.03	01/28/2021	No	Water additive which promotes strong teeth; Erosion of natural deposits; Discharge from fertilizer and aluminum factories
Barium (ppm)	2 (2)	SGL	0.0444	01/28/2021	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Sodium (ppm)	N/A (N/A)	SGL	22.6	03/14/2024	No	Erosion of natural deposits; Added to water during treatment process

Note: Contaminants with dates indicate results from the most recent testing done in accordance with regulations.

DEFINITIONS

- Maximum Contaminant Level (MCL) – The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) – The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ppb -- parts per billion.
- ppm -- parts per million.
- pCi/L -- picocuries per liter
- N/A -- Not applicable
- ND -- Not detected
- RAA -- Running Annual Average
- Treatment Technique (TT) – A required process intended to reduce the level of a contaminant in drinking water.
- Action Level (AL) – The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
- Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- SGL – Single Sample Result
- RTCR – Revised Total Coliform Rule
- NTU – Nephelometric Turbidity Units

GENERAL INFORMATION

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water posed a health risk. More information about contaminants or potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).
Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).
Lead can cause serious health effects in people of all ages, especially pregnant people, infants (both formula-fed and breastfed), and young children. Lead in drinking water is primarily from materials and parts used in service lines and in home plumbing. Our water supply is responsible for providing high quality drinking water and removing lead pipes but cannot control the variety of materials used in the plumbing in your home. Because lead levels may vary over time, lead exposure is possible even when your tap sampling results do not detect lead at one point in time. You can help protect yourself and your family by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Using a filter, certified by an American National Standards Institute accredited certifier to reduce lead, is effective in reducing lead exposures. Follow the instructions provided with the filter to ensure the filter is used properly. Use only cold water for drinking, cooking, and making baby formula. Boiling water does not remove lead from water. Before using tap water for drinking, cooking, or making baby formulas, flush your pipes for several minutes. You can do this by running your tap, taking a shower, doing laundry or a load of dishes. If you have a lead service line or galvanized requiring replacement service line, you may need to flush your pipes for a longer period. If you are concerned about lead in your water and wish to have your water tested, contact OELWEIN MUNICIPAL WATER WORKS at 319-283-1197. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <https://www.epa.gov/safewater/lead>.

Lead tap sampling data can be found in the Iowa Drinking Water Data Portal: <https://programs.iowadnr.gov/iowadrinkingwater>
Our water supply has completed a service line inventory. Please contact us for information regarding the inventory and how you can access the results.

SOURCE WATER ASSESSMENT INFORMATION

This water supply obtains its water from the sandstone and dolomite of the Cambrian-Ordovician aquifer. The Cambrian-Ordovician aquifer was determined to have low susceptibility to contamination because the characteristics of the aquifer and overlying materials provide natural protection from contaminants at the land surface. The Cambrian-Ordovician wells will have low susceptibility to surface contaminants such as leaking underground storage tanks, contaminant spills, and excess fertilizer application. A detailed evaluation of your source water was completed by the Iowa Department of Natural Resources, and is available from the Water Operator at 319-283-1197.

CONTACT INFORMATION

For questions regarding this information or how you can get involved in decisions regarding the water system, please contact OELWEIN MUNICIPAL WATER WORKS at 319-283-1197.

Published in the Oelwein Daily Register on April 3, 2026

353 CLASSIFIED NETWORK

****STOP STRUGGLING ON THE STAIRS**** Give your life a lift with an ACORN STAIRLIFT! Call now for \$250 OFF your Stairlift purchase and FREE DVD & brochure! 1-800-410-9172

SAVE on Internet and TV bundles! Order the best exclusive cable and satellite deals in your area! If eligible, get up to \$300 in Visa Gift Cards. CALL NOW! 1-800-596-1750

Safe Step Walk-In Tub #1 Selling Walk-In Tub in North America. BBB Accredited. Arthritis Foundation Commendation. Therapeutic Jets. MicroSoothe Air Therapy System. Less than 4 Inch Step-In wide Door. Anti-Slip Floors. American Made. Call 800-960-6203 for up to \$1500 off.

SAVE on Internet and TV bundles! Order the best exclusive cable and satellite deals in your area! If eligible, get up to \$300 in Visa Gift Cards. CALL NOW! 1-800-596-1750
DISH TV - BEST DEAL EVER! Only \$39.99/mo. Plus \$14.99/mo Internet (where avail.) FREE Streaming. FREE Install (up to 6 rooms.) FREE HD-DVR. Call 1-800-912-8974
Got knee pain? Back Pain? Shoulder Pain? Get a pain-relieving brace at little or NO cost to you. Medicare Patients Call Health Hotline Now! 1-800-717-0509

A PLACE FOR MOM. The nation's largest senior living referral service. Contact our trusted, local experts today! Our service is FREE/no obligation. CALL 1-800-281-6285
All Things Basementy! Basement Systems Inc. Call us for all of your basement needs! Waterproofing, Finishing, Structural Repairs, Humidity and Mold Control FREE ESTIMATES! Call 1-800-694-1299
VIAGRA and CIALIS USERS! Cut your drug costs! SAVE \$5 50 Pills for \$99.00. FREE Shipping! 100% Guaranteed and Discreet. CALL 1-800-425-0211

Switch to DIRECT TV. Lock in 2-Year Price Guarantee (\$50/month) w/AT&T Wireless. Over 145 Channels PLUS Popular Movie Networks for Three Months, No Cost! Call 1-800-913-4806
Spectrum Triple Play?TV, Internet & Voice for \$29.99 ea. 60 MB per second speed. ?No contract or commitment. We buy your existing contract up to \$500! 1-800-961-4594

Public Notice THE IOWA DISTRICT COURT FOR FAYETTE COUNTY Probate No. ESPR021118 NOTICE OF APPOINTMENT OF ADMINISTRATOR AND NOTICE TO CREDITORS

IN THE MATTER OF THE ESTATE OF RAELOONNA LEIGH CAREY, Deceased.

To All Persons Interested in the Estate of Raelonna Leigh Carey, Deceased, who died on or about December 6, 2025:

You are hereby notified that on March 16, 2026, the undersigned was appointed executor of the estate.

Notice is hereby given that all persons indebted to the estate are requested to make immediate payment to the undersigned, and creditors having claims against the estate shall file them with the clerk of the above named district court, as provided by law, duly authenticated, for allowance, and unless so filed by the later to occur four months from the date of the second publication of this notice or one month from the date of the mailing of this notice (unless otherwise allowed or paid) a claim is thereafter forever barred.
Dated on March 24, 2026.
Executor of the Estate
Ronald Burg,
405 S Dana Ave Po Box 647
Rush City MN 55069

Tori A. Sassmann,
ICIS#: AT0015570
Attorney for the Administrator
Dillon Law PC
12 E Main Street
New Hampton IA 50659
Published in the Oelwein Daily Register on March 27 and April 3, 2026



NEWSPAPERS

Build Literacy

Expand Minds

Educate Students

Inspire Achievement